Voluntary Product Evaluation Template (VPAT)

Date: April 23, 2020

Name of Product: Terminalfour Version 8.3

Contact for more Information: sales@terminalfour.com

Refer to the ITIC Best Practices for filling out the following form.

Summary Table			
Criteria	Supporting Features	Remarks and explanations	
Section 1194.21 Software Applications and Operating Systems	Supports	✓ Confirmed – This requirement can be fulfilled by TERMINALFOUR Product meets all requirements, but does not make use of animations.	
Section 1194.22 Web-based internet information and applications	Supports	✓ Confirmed – This requirement can be fulfilled by TERMINALFOUR Product meets all requirements, but does not make use of multimedia presentations or either client or server-side image maps.	
Section 1194.23 <u>Telecommunications Products</u>	Not Applicable	This criteria is not applicable for a CMS product	
Section 1194.24 <u>Video and Multi-media Products</u>	Not Applicable	This criteria is not applicable for a CMS product	
Section 1194.25 <u>Self-Contained, Closed Products</u>	Not Applicable	☒ Not Applicable	

		This criteria is not applicable for a CMS product
Section 1194.26 <u>Desktop and Portable Computers</u>	Not Applicable	Not Applicable This criteria is not applicable for a CMS product
Section 1194.31 <u>Functional Performance Criteria</u>	Not Applicable	Mot Applicable This criteria is not applicable for a CMS product
Section 1194.41 <u>Information, documentation, and support.</u>	Supports	Mot Applicable This criteria is not applicable for a CMS product

Section 1194.21 Software Applications and Operating Systems * Refer to (http://www.access-board.gov/sec508/guide/1194.21.htm) for details on the guidelines listed below.		
Criteria	Supporting Features	Remarks and explanations
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Supports	✓ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	Supports	✓ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features
(c) A well-defined on-screen indication of the current focus shall be provided that moves	Supports	☑ Confirmed – This requirement can be fulfilled by

among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.		TERMINALFOUR These are standard CMS Features
(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.	Supports	☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features
(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.	Supports	✓ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features
(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Supports	✓ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	Supports	✓ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Not Applicable	Not Applicable Animation not used in product
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of	Supports	☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR

contrast levels shall be provided.		These are standard CMS Features
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Supports	✓ Confirmed – This requirement can be fulfilled by TERMINALFOUR No flashing or blinking text used in CMS product.
(I) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Supports	☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features

Section 1194.22 Web-based Internet information and applications * Refer to (http://www.access-board.gov/sec508/guide/1194.22.htm) for details on the guidelines listed below.		
Criteria	Supporting Features	Remarks and explanations
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Supports	☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	Not Applicable	No multimedia presentations used within product.
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	Supports	☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features
(d) Documents shall be organized so they are readable without requiring an associated style sheet.	Supports	☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features

		■ Not Applicable
(e) Redundant text links shall be provided for each active region of a server-side image map.	Not Applicable	No server-side image maps used within product.
(f) Client-side image maps shall be provided nstead of server-side image maps except wher the regions cannot be defined with an available	NIOT ANNIICANIA	No client-side image maps used
geometric shape. (g) Row and column headers shall be identified		within product. ☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR
for data tables.	Supports	These are standard CMS Features
(h) Markup shall be used to associate data cells and header cells for data tables that have two	Supports	☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR
or more logical levels of row or column headers	5.	These are standard CMS Features
(i) Frames shall be titled with text that facilitate	^{2S} Supports	☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR
3		These are standard CMS Features
j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than		☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR
Hz and lower than 55 Hz.		These are standard CMS Features
(k) A text-only page, with equivalent nformation or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be	Supports	☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR
accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	1	These are standard CMS Features
(I) When pages utilize scripting languages to display content, or to create interface elements the information provided by the script shall be dentified with functional text that can be read	Supports	☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR
acritica with ranctional text that call be lead		

m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with Û1194.21(a) through (I).	Not Applicable	No applets, plug-ins or other applications are required by TERMINALFOUR.
n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Supports	☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features
o) A method shall be provided that permits users to skip repetitive navigation links.	Supports	✓ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features
p) When a timed response is required, the user shall be alerted and given sufficient time to ndicate more time is required.	Supports	✓ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

Section 1194.23 Telecommunications Products * Refer to (http://www.access-board.gov/sec508/guide/1194.23.htm) for details on the guidelines listed below.			
Criteria	Supporting Features	Remarks and explanations	
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	Not Applicable	■ Not Applicable This criteria is not applicable for a CMS product	

(b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.	Not Applicable	Not Applicable This criteria is not applicable for a CMS product
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	Not Applicable	Not Applicable This criteria is not applicable for a CMS product
(d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.	Not Applicable	Not Applicable This criteria is not applicable for a CMS product
(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.	Not Applicable	Not Applicable This criteria is not applicable for a CMS product
(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.	Not Applicable	■ Not Applicable This criteria is not applicable for a CMS product
(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	Mot Applicable This criteria is not applicable for a CMS product
(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	Not Applicable	Not Applicable This criteria is not applicable for a CMS product
(i) Interference to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.	Not Applicable	■ Not Applicable This criteria is not applicable for a CMS product
(j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary,	Not Applicable	Mot Applicable This criteria is not applicable for a CMS

industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.		product
(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.	Not Applicable	Mot Applicable This criteria is not applicable for a CMS product
(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.	Not Applicable	Not Applicable This criteria is not applicable for a CMS product
(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.	Not Applicable	Not Applicable This criteria is not applicable for a CMS product
(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.	Not Applicable	Mot Applicable This criteria is not applicable for a CMS product

Section 1194.24 Video and Multi-media Products * Refer to (http://www.access-board.gov/sec508/guide/1194.24.htm) for details on the guidelines listed below.			
Criteria	Supporting Features	Remarks and explanations	
(a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not	Not Applicable	This criteria is not applicable for a CMS product	

they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.		
(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.	Not Applicable	This criteria is not applicable for a CMS product
(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.	Not Applicable	This criteria is not applicable for a CMS product
(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.	Not Applicable	This criteria is not applicable for a CMS product
(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.	Not Applicable	Mot Applicable This criteria is not applicable for a CMS product

Section 1194.25 Self-Contained, Closed Products * Refer to (http://www.access-board.gov/sec508/guide/1194.25.htm) for details on the guidelines listed below.		
Criteria	Supporting Features	Remarks and explanations
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.	Not Applicable	This criteria is not applicable for a CMS product
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not Applicable	This criteria is not applicable for a CMS product

		☑ Not Applicable
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with Û1194.23 (k) (1) through (4).	Not Applicable	This criteria is not applicable for a CMS product
		☑ Not Applicable
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not Applicable	This criteria is not applicable for a CMS product
		☑ Not Applicable
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	Not Applicable	This criteria is not applicable for a CMS product
(f) When products deliver voice output in a public area, incremental volume control		☑ Not Applicable
shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	This criteria is not applicable for a CMS product
		☑ Not Applicable
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Not Applicable	This criteria is not applicable for a CMS product
		☑ Not Applicable
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	Not Applicable	This criteria is not applicable for a CMS product
		■ Not Applicable
(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Not Applicable	This criteria is not applicable for a CMS product
(j) (1) Products which are freestanding, non-portable, and intended to be used in		☒ Not Applicable
one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the	Not Applicable	This criteria is not applicable for a

maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.		CMS product
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	Not Applicable	This criteria is not applicable for a CMS product
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.	Not Applicable	This criteria is not applicable for a CMS product
(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.	Not Applicable	This criteria is not applicable for a CMS product

Section 1194.26 Desktop and Portable 0 * Refer to (http://www.access-board.gov/sec508/guide/1194.26.htm) for one of the section of t	•	elines listed below.
Criteria	Supporting Features	Remarks and explanations
(a) All mechanically operated controls and keys shall comply with Û1194.23 (k) (1) through (4).	Not Applicable	Mot Applicable This criteria is not applicable for a CMS product
(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with Û1194.23 (k) (1) through (4).	Not Applicable	This criteria is not applicable for a CMS product
(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not Applicable	This criteria is not applicable for a CMS product

		■ Not Applicable
(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards	Not Applicable	This criteria is not applicable for a CMS product

Section 1194.31 Functional Performance (Section 1194.31 Functional Performance Criteria		
Criteria	Supporting Features	Remarks and explanations	
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Supports	☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features	
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.	Supports	☑ Confirmed – This requirement can be fulfilled by TERMINALFOUR These are standard CMS Features	
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided	Supports	Product does not utilize audio information.	
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Not Applicable	Product does not utilize audio information.	
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Not Applicable	Not Applicable Product does not utilize audio	

		information.
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Not Applicable	Product does not utilize audio information.

Criteria	Supporting Features	Remarks and explanations
a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.	Supports	Primary source of documentation is client extranet, but print copies can be generated or provided when requested.
b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Supports	Primary source of documentation is client extranet, but print copies can be generated or provided when requested.
c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supports	✓ Confirmed All training and documentation will be tailored to those with disabilities where required.