

W3C Web Content Accessibility Guidelines (WCAG) 2.1 Conformance Statement

Date of Report: June 29, 2021

Name of Product: Whiteboard for Android

Description of Product: Microsoft Whiteboard provides a freeform intelligent canvas where teams can ideate, create, and collaborate visually via the cloud. Designed for touch, type & pen, it lets you write or draw as smoothly as you would with ink, while adding text and sticky notes you can type/annotate on. It enhances teamwork by allowing all team members to edit and comment directly on the canvas in real time, no matter where they are. And all your work stays safe in the cloud, ready to be picked back up from another location or device.

Platform: Android

Product Build: continuous release

Accessibility website: Microsoft Accessibility

For assistance with this report, please email us.

WCAG 2.1 Conformance Requirements

Criteria	
1. Conformance Level	
2. Full pages	
3. Complete processes	
4. Only Accessibility-Supported Ways of Using Technologies	
5. Non-Interference	

Web Content Accessibility Guidelines (WCAG) 2.1

Principle 1: Perceivable

Information and user interface components must be presentable to users in ways they can perceive.

Guideline 1.1 Text Alternatives

Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language.

Criteria	Supporting Feature	Remarks and Explanations
1.1.1 Non-text Content: All non-text	Supported	
content that is presented to the user		
has a text alternative that serves the		

Criteria	Supporting Feature	Remarks and Explanations
equivalent purpose, except in		
situations listed in WCAG 2.1 1.1.1.		

Guideline 1.2 Time-based Media

Provide alternatives for time-based media.

Criteria	Supporting Feature	Remarks and Explanations
1.2.1 Audio-only and Video-only	Not Applicable	
(Prerecorded): For prerecorded		
audio-only and prerecorded video-		
only media, the following are true,		
except when the audio or video is a		
media alternative for text and is clearly		
labeled as such:		
 Prerecorded Audio-only: An 		
alternative for time-based media is		
provided that presents equivalent		
information for prerecorded audio-		
only content.		
 Prerecorded Video-only: Either an 		
alternative for time-based media or an		
audio track is provided that presents		
equivalent information for		
prerecorded video-only content.		
1.2.2 Captions (Prerecorded):	Not Applicable	
Captions are provided for all		
prerecorded audio content in		
synchronized media, except when the		
media is a media alternative for text		
and is clearly labeled as such.		
1.2.3 Audio Description or Media	Not Applicable	
Alternative (Prerecorded): An		
alternative for time-based media or		
audio description of the prerecorded		
video content is provided for		
synchronized media, except when the		
media is a media alternative for text		
and is clearly labeled as such.		
1.2.4 Captions (Live): Captions are	Not Applicable	
provided for all live audio content in		
synchronized media.		
1.2.5 Audio Description	Not Applicable	
(Prerecorded): Audio description is		
provided for all prerecorded video		
content in synchronized media.		

Guideline 1.3 Adaptable

Create content that can be presented in different ways (for example simpler layout) without losing information or structure.

Criteria	Supporting Feature	Remarks and Explanations
1.3.1 Info and Relationships:	Supported	
Information, structure, and		
relationships conveyed through		
presentation can be programmatically		
determined or are available in text.		
1.3.2 Meaningful Sequence: When	Supported	
the sequence in which content is		
presented affects its meaning, a correct		
reading sequence can be		
programmatically determined.		
1.3.3 Sensory Characteristics:	Supported	
Instructions provided for		
understanding and operating content		
do not rely solely on sensory		
characteristics of components such as		
shape, size, visual location, orientation,		
or sound.		
1.3.4 Orientation: Content does not	Supported	
restrict its view and operation to a		
single display orientation, such as		
portrait or landscape, unless a specific display orientation is essential.		
1.3.5 Identify Input Purpose: The	Supported	
purpose of each input field collecting	Supported	
information about the user can be		
programmatically determined when:		
The input field serves a purpose		
identified in the Input Purposes for		
User Interface Components section;		
and		
The content is implemented using		
technologies with support for		
identifying the expected meaning for		
form input data.		

Guideline 1.4 Distinguishable

Make it easier for users to see and hear content including separating foreground from background.

Criteria	Supporting Feature	Remarks and Explanations
1.4.1 Use of Color: Color is not used as the only visual means of conveying information, indicating an action,	Supported	

Criteria	Supporting Feature	Remarks and Explanations
prompting a response, or		
distinguishing a visual element.		
1.4.2 Audio Control: If any audio on	Not Applicable	
a Web page plays automatically for		
more than 3 seconds, either a		
mechanism is available to pause or		
stop the audio, or a mechanism is available to control audio volume		
independently from the overall system		
volume level.		
1.4.3 Contrast (Minimum): The	Supported	
visual presentation of text and images		
of text has a contrast ratio of at least		
4.5:1, except for the following:		
• <u>Large Text:</u> Large-scale text and		
images of large-scale text have a		
contrast ratio of at least 3:1;		
• <u>Incidental:</u> Text or images of text		
that are part of an inactive user		
interface component, that are pure decoration, that are not visible to		
anyone, or that are part of a picture		
that contains significant other visual		
content, have no contrast		
requirement.		
• <u>Logotypes:</u> Text that is part of a logo		
or brand name has no minimum		
contrast requirement.	Constant NACIDE Constitution	To be a sell be as all all.
1.4.4 Resize text: Except for captions	Supported With Exceptions	Text can only be re-sized by
and images of text, text can be resized without assistive technology up to 200		increasing the zoom level of the board or the zoom level of the
percent without loss of content or		sticky text note.
functionality.		Text in user experience cannot be
		enlarged in the app at this time.
1.4.5 Images of Text: If the	Supported	
technologies being used can achieve		
the visual presentation, text is used to		
convey information rather than		
images of text except for the		
following:		
• <u>Customizable:</u> The image of text can		
be visually customized to the user's requirements;		
• <u>Essential:</u> A particular presentation		
of text is essential to the information		
being conveyed.		
		•

Criteria	Supporting Feature	Remarks and Explanations
1.4.10 Reflow: Content can be	Supported With Exceptions	Currently vertical & horizontal
presented without loss of information		scrolling of text only appears in our
or functionality, and without requiring		app once the amount of text goes
scrolling in two dimensions for:		beyond the default size of a sticky
 Vertical scrolling content at a width 		note. We have plans to handle this
equivalent to 320 CSS pixels;		exception in the near future.
Horizontal scrolling content at a		
height equivalent to 256 CSS pixels;		
Except for parts of the content which		
require two-dimensional layout for usage or meaning.		
1.4.11 Non-Text Contrast: The visual	Supported	
presentation of the following have a	Supported	
contrast ratio of at least 3:1 against		
adjacent color(s):		
User Interface Components		
Visual information used to indicate		
states and boundaries of user		
interface components, except for		
inactive components or where the		
appearance of the component is		
determined by the user agent and not		
modified by the author;		
Graphical Objects		
Parts of graphics required to		
understand the content, except when		
a particular presentation of graphics is essential to the information being		
conveyed.		
1.4.12 Text Spacing: In content	Not Applicable	
implemented using markup languages		
that support the following text style		
properties, no loss of content or		
functionality occurs by setting all of		
the following and by changing no		
other style property:		
• Line height (line spacing) to at least		
1.5 times the font size;		
• Spacing following paragraphs to at		
least 2 times the font size;		
 Letter spacing (tracking) to at least 0.12 times the font size; 		
Word spacing to at least 0.16 times		
the font size.		
1.4.13 Content on Hover or Focus:	Supported	
Where receiving and then removing	Sapported	
pointer hover or keyboard focus		
pointer nover or reyboard rocus		

Criteria	Supporting Feature	Remarks and Explanations
triggers additional content to become		
visible and then hidden, the following		
are true:		
Dismissable		
A mechanism is available to dismiss		
the additional content without moving		
pointer hover or keyboard focus,		
unless the additional content		
communicates an input error or does		
not obscure or replace other content;		
Hoverable		
If pointer hover can trigger the		
additional content, then the pointer		
can be moved over the additional		
content without the additional		
content disappearing;		
Persistent		
The additional content remains visible		
until the hover or focus trigger is		
removed, the user dismisses it, or its		
information is no longer valid.		

Principle 2: Operable

User interface components and navigation must be operable.

Guideline 2.1 Keyboard Accessible

Make all functionality available from a keyboard.

Criteria	Supporting Feature	Remarks and Explanations
2.1.1 Keyboard: All functionality of	Supported	
the content is operable through a		
keyboard interface without requiring		
specific timings for individual		
keystrokes, except where the		
underlying function requires input		
that depends on the path of the		
user's movement and not just the		
endpoints.		
2.1.2 No Keyboard Trap: If	Supported	
keyboard focus can be moved to a		
component of the page using a		
keyboard interface, then focus can		
be moved away from that		
component using only a keyboard		
interface, and, if it requires more		
than unmodified arrow or tab keys		
or other standard exit methods, the		

Criteria	Supporting Feature	Remarks and Explanations
user is advised of the method for		
moving focus away.		
2.1.4 Character Key Shortcuts: If a	Not Applicable	
keyboard shortcut is implemented		
in content using only letter		
(including upper- and lower-case		
letters), punctuation, number, or		
symbol characters, then at least one		
of the following is true:		
Turn off		
A mechanism is available to turn the		
shortcut off;		
Remap		
A mechanism is available to remap		
the shortcut to use one or more		
non-printable keyboard characters		
(e.g. Ctrl, Alt, etc).		
Active only on focus		
The keyboard shortcut for a user		
interface component is only active		
when that component has focus.		

Guideline 2.2 Enough TimeProvide users enough time to read and use content.

Criteria	Supporting Feature	Remarks and Explanations
2.2.1 Timing Adjustable: For each	Not Applicable	
time limit that is set by the content,		
at least one of the following is true:		
• <u>Turn off:</u> User is allowed to turn off		
time limit before encountering it; or		
• Adjust: The user is allowed to		
adjust the time limit before		
encountering it over a wide range		
that is at least ten times the length		
of the default setting; or		
• Extend: The user is warned before		
time expires and given at least 20		
seconds to extend the time limit		
with a simple action (for example,		
"press the space bar"), and the user		
is allowed to extend the time limit at		
least ten times; or		
• Real-time Exception: The time limit		
is a required part of a real-time		
event (for example, an auction), and		

Criteria	Supporting Feature	Remarks and Explanations
no alternative to the time limit is		
possible; or		
• Essential Exception: The time limit		
is essential and extending it would		
invalidate the activity; or		
• 20 Hour Exception: The time limit is		
longer than 20 hours.		
2.2.2 Pause, Stop, Hide: For	Not Applicable	
moving, blinking, scrolling, or auto-		
updating information, all of the		
following are true:		
• Moving, blinking, scrolling: For any		
moving, blinking or scrolling		
information that (1) starts		
automatically, (2) lasts more than		
five seconds, and (3) is presented in		
parallel with other content, there is a		
mechanism for the user to pause,		
stop, or hide it unless the		
movement, blinking, or scrolling is		
part of an activity where it is		
essential; and		
• <u>Auto-updating:</u> For any auto-		
updating information that (1) starts		
automatically and (2) is presented in		
parallel with other content, there is a		
mechanism for the user to pause,		
stop, or hide it or to control the		
frequency of the update unless the		
auto-updating is part of an activity		
where it is essential.		

Guideline 2.3 Seizures

Do not design content in a way that is known to cause seizures.

Criteria	Supporting Feature	Remarks and Explanations
2.3.1 Three Flashes or Below	Supported	
Threshold: Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.		

Guideline 2.4 Navigable

Provide ways to help users navigate, find content, and determine where they are.

Criteria	Supporting Feature	Remarks and Explanations
2.4.1 Bypass Blocks: A mechanism is	Supported	
available to bypass blocks of content		
that are repeated on multiple Web		
pages.		
2.4.2 Page Titled: Web pages have	Supported	
titles that describe topic or purpose.		
2.4.3 Focus Order: If a Web page	Supported	
can be navigated sequentially and		
the navigation sequences affect		
meaning or operation, focusable		
components receive focus in an order		
that preserves meaning and		
operability.		
2.4.4 Link Purpose (In Context): The	Supported	
purpose of each link can be		
determined from the link text alone		
or from the link text together with its		
programmatically determined link		
context, except where the purpose of		
the link would be ambiguous to users		
in general.		
2.4.5 Multiple Ways: More than one	Supported	
way is available to locate a Web page		
within a set of Web pages except		
where the Web Page is the result of,		
or a step in, a process.		
2.4.6 Headings and Labels:	Supported	
Headings and labels describe topic or		
purpose.		
2.4.7 Focus Visible: Any keyboard	Supported	
operable user interface has a mode		
of operation where the keyboard		
focus indicator is visible.		

Guideline 2.5 Input ModalitiesMake it easier for users to operate functionality through various inputs beyond keyboard.

Criteria	Supporting Feature	Remarks and Explanations
2.5.1 Pointer Gestures: All	Supported	
functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.		

Criteria	Supporting Feature	Remarks and Explanations
2.5.2 Pointer Cancellation: For	Supported	
functionality that can be operated		
using a single pointer, at least one of		
the following is true:		
No Down-Event		
The down-event of the pointer is not		
used to execute any part of the		
function;		
Abort or Undo		
Completion of the function is on the		
up-event, and a mechanism is		
available to abort the function before		
completion or to undo the function		
after completion;		
Up Reversal		
The up-event reverses any outcome		
of the preceding down-event;		
Essential		
Completing the function on the		
down-event is essential.		
2.5.3 Label in Name: For user	Supported	
interface components with labels that		
include text or images of text, the		
name contains the text that is		
presented visually.		
2.5.4 Motion Actuation:	Supported	
Functionality that can be operated by		
device motion or user motion can		
also be operated by user interface		
components and responding to the		
motion can be disabled to prevent		
accidental actuation, except when:		
Supported Interface		
The motion is used to operate		
functionality through an accessibility		
supported interface;		
Essential		
The motion is essential for the		
function and doing so would		
invalidate the activity.		

Principle 3: Understandable

Information and the operation of user interface must be understandable.

Guideline 3.1 Readable

Make text content readable and understandable.

Criteria	Supporting Feature	Remarks and Explanations
3.1.1 Language of Page: The	Not Applicable	
default human language of each Web page can be programmatically		
determined.		
3.1.2 Language of Parts: The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have	Not Applicable	
become part of the vernacular of the immediately surrounding text.		

Guideline 3.2 Predictable

Make Web pages appear and operate in predictable ways.

Criteria	Supporting Feature	Remarks and Explanations
3.2.1 On Focus: When any	Supported	
component receives focus, it does		
not initiate a change of context.		
3.2.2 On Input: Changing the	Supported	
setting of any user interface		
component does not automatically		
cause a change of context unless		
the user has been advised of the		
behavior before using the		
component		
3.2.3 Consistent Navigation:	Supported	
Navigational mechanisms that are		
repeated on multiple Web pages		
within a set of Web pages occur in		
the same relative order each time		
they are repeated, unless a change		
is initiated by the user.		
3.2.4 Consistent Identification:	Supported	
Components that have the same		
functionality within a set of Web		
pages are identified consistently.		

Guideline 3.3 Input Assistance

Help users avoid and correct mistakes.

Criteria	Supporting Feature	Remarks and Explanations
3.3.1 Error Identification: If an	Supported	
input error is automatically		
detected, the item that is in error is		
identified and the error is described		
to the user in text.		
3.3.2 Labels or Instructions: Labels	Supported	
or instructions are provided when		
content requires user input.		
3.3.3 Error Suggestion: If an input	Supported	
error is automatically detected and		
suggestions for correction are		
known, then the suggestions are		
provided to the user, unless it would		
jeopardize the security or purpose		
of the content.		
3.3.4 Error Prevention (Legal,	Supported	
Financial, Data): For Web pages		
that cause legal commitments or		
financial transactions for the user to		
occur, that modify or delete user-		
controllable data in data storage		
systems, or that submit user test		
responses, at least one of the		
following is true:		
1. Reversible: Submissions are		
reversible.		
2. Checked: Data entered by the		
user is checked for input errors and		
the user is provided an opportunity		
to correct them.		
3. Confirmed: A mechanism is		
available for reviewing, confirming,		
and correcting information before		
finalizing the submission.		

Principle 4: Robust

Content must be robust enough that it can be interpreted reliably by a wide variety of user agents, including assistive technologies.

Guideline 4.1 Compatible

Maximize compatibility with current and future user agents, including assistive technologies.

Criteria	Supporting Feature	Remarks and Explanations
4.1.1 Parsing: In content	Not Applicable	
implemented using markup		
languages, elements have complete		
start and end tags, elements are		

Criteria	Supporting Feature	Remarks and Explanations
nested according to their		
specifications, elements do not		
contain duplicate attributes, and any		
IDs are unique, except where the		
specifications allow these features.		
4.1.2 Name, Role, Value: For all	Supported With Exceptions	Role is not defined for certain select
user interface components		items.
(including but not limited to: form		
elements, links and components		
generated by scripts), the name and		
role can be programmatically		
determined; states, properties, and		
values that can be set by the user		
can be programmatically set; and		
notification of changes to these items is available to user agents,		
including assistive technologies.		
4.1.3 Status Messages: In content	Supported	
implemented using markup	Supported	
languages, status messages can be		
programmatically determined		
through role or properties such that		
they can be presented to the user		
by assistive technologies without		
receiving focus.		

Disclaimer

© 2021 Microsoft Corporation. All rights reserved. The names of actual companies and products mentioned herein may be the trademarks of their respective owners. The information contained in this document represents the current view of Microsoft Corporation on the issues discussed as of the date of publication. Microsoft cannot guarantee the accuracy of any information presented after the date of publication.

This document includes material copied from or derived from the Web Content Accessibility Guidelines (<u>WCAG 2.1</u>). Copyright © 2017-2018 W3C® (MIT, ERCIM, Keio, Beihang). This document is not the Web Content Accessibility Guidelines (WCAG) and should not be used as a substitute for it. Excerpts of WCAG are referenced solely for purposes of detailing Microsoft's conformance with the relevant provisions. A full and complete copy of the Guidelines is available from the <u>W3C WAI</u>.

Microsoft regularly updates its websites and provides new information about the accessibility of products as that information becomes available.

Customization of the product voids this conformance statement from Microsoft. Customers may make independent conformance statements if they have conducted due diligence to meet all relevant requirements for their customization. Please consult with Assistive Technology (AT) vendors for compatibility specifications of specific AT products.

This document is for informational purposes only. MICROSOFT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.